

Metallized Film Capacitor


CBB61

Motor Run Capacitor
Type CBB61



Cons r c ions


Fea res




2

2

Mo n ing par s




2






±

i0 S 2B• @





SHENGGE[®]
CBB61  **S0**
8 μF **250VAc B**
 $\pm 5\%$ 50/60Hz
 **UL**[®] 40/85/21
C E213054 IEC 60252-1
 **CQC**
C22.2 No.190-14
RoHS HSSG Lot No.
Part No.

VAC	μ F	L*B*H	Par No.		
	1	37*14*28			
	2	37*14*28			
	3	37*14*28			
	4	38*19*31			
	5	38*19*31			
	6	38*19*31			
	7	37*22*34			
	8	37*22*34			
	9	47*22*34			
	10	47*22*34			
	11	47*22*34			
	12	47*22*34			
	13	47*24*36			
	14	47*24*36			
	15	47*26*38			
	16	47*26*38			
	17	47*32*40			
	18	47*32*40			
	19	47*32*40			
	20	47*32*40			
	21	58*28*40			
	22	58*28*40			
	23	58*28*40			
	24	58*28*40			
	25	58*30*44			
	26	58*30*44			
	27	58*30*44			
	28	58*30*44			
	29	58*30*44			
	30	58*30*44			



VAC	μ F	L*B*H	Par No.		
	1	37*14*28			
	2	38*19*31			
	3	38*19*31			
	4	37*22*34			
	5	47*22*34			
	6	47*22*34			
	7	47*24*36			
	8	47*26*38			
	9	58*25*39			
	10	58*28*40			
	11	58*28*40			
	12	58*28*40			
	13	58*30*44			
	14	58*30*44			
	15	58*30*44			
	16	57*39*50			
	17	57*39*50			
	18	57*39*50			
	19	57*39*50			
	20	57*39*50			
	21	57*39*50			
	22	57*39*50			
	23	57*39*50			
	24	57*39*50			
	25				





